

THE REWARDS AND CHALLENGES OF CONSTRUCTING PATIENT REGISTRIES IN MEXICO: LEARNED LESSONS FROM THREE NATIONAL REGISTRIES

Alejandra Medina-Rivera
Laboratorio Internacional de Investigación sobre el Genoma Humano
Universidad Nacional Autónoma de México


Simons Institute, Computational Challenges in Very Large-Scale 'Omics'
July 2022

PATIENT REGISTRIES

- Patient registries are organized systems that collect, store and analyze information about individuals living with a particular disease or condition.
- They are useful for clinical research, setting of clinical trials and improvement of patient care, and when clinical data is complemented with genomic information, they provide further opportunities for research



Diversity in Genetic and Genomic studies



- LATAM shows great diversity due to constant migration and differences in ecosystems that led to adaptation leaving marks in Native American genomes.
- These factors have shaped populations with diverse genetic backgrounds in which genetic variation manifests in unique effects on complex traits, including the immune system.

Electronic records in Mexico

- 73.5% of Mexico inhabitants are affiliated with either public or private health services
 - 51% are affiliated with the Instituto Mexicano del Seguro Social (IMSS)
 - 35.5% Instituto de Salud para el Bienestar (INSABI)
- 33 million people in the country remain with no health services insurance
 - 48.49% have no effective access to health services.
- NOM-024-SSA3-2012, issued in 2012, regulates the Electronic Health Record Information Systems and sets the mechanisms to record, exchange and consolidate information.
- The diversity of electronic clinical records and database storage systems greatly hinder data sharing and interaction among health institutions.

Major genomic resources in Mexico

- **Mexico City Prospective Study**
- Survey in two regions within Mexico City
 - Coyoacan (Middle – Upper class)
 - Iztapalapa (Low –Middle class)
- Medical survey with anthropometric measurements
- Exome sequencing for 150,000 people
- Recontact based on address.
- 10,000 participants were recontacted between 2015-2019
- Focus on diabetes, cardiovascular diseases and smoking outcomes
- Major publication 2022
- Lead by Oxford University and UNAM

- **MexBiobank**
- Based on samples from the National Health Survey 2000
- Generated genotyped data for 6,000 individual across the country.
- 40,000 samples
- General health survey
- No recontact
- Autoimmune diseases were not included
- Mental health surveys were not included
- Preprint published 2022
- Lead by Langebio, Irapuato, Mexico

Challenges

- Recontact participants for further stages of research
- Decentralization of data adquicition, most patient studies are centered in Mexico City in the National Institutes of Health.
- Collaboration engagement with the medical community.
- Lack of trust towards the scientific community (INEGI survey on Perception on science and technology, 2017).

DEEPLY PHENOTYPED REGISTRIES


- Comprehensive medical history survey
- Ethics and consent contemplate the option to be recontacted for follow-up surveys or analysis.
- Ethics are approved for biobanking
- Mental health, cognitive assessments and lifestyle surveys are included
- Nation wide recruitment perspective.
- Public engagement through continuous communication with participants



MEXICAN TWIN REGISTRY

- Launched in 2019
- Supported by the National Multiple Births Association
- Data collection through RedCap
- Recruitment of participants:
 - On site in annual Twin Festivals (suspended during COVID)
 - Through social media and traditional media campaigns
- Public engagement activities during Twin Festivals and Social Media Campaigns






MEXICAN TWIN REGISTRY

- Surveys selected to match the Australian and United Kingdom Twins Registries to enable comparative analysis.
- Focus on mental health and cognitive development.
- CONACYT funding to biobank swap samples from 250 twin pairs. Including functional magnetic resonance.
 - 100 pairs have been bio-banked




Total by
July 2022


n = 3205
1158 (579 pairs)
2047 (single)




Distribution by sex



Distribution by zygosity



Distribution by Age



Coherence Rate and Heritability of Myopia and Astigmatism

| | | Twin 1 | |
|--------|-----|------------|------------|
| | | Yes | No |
| Twin 2 | Yes | Concordant | Discordant |
| | No | Discordant | |

$$\frac{C}{C + D}$$

twinsMX
REGISTRO MEXICANO DE GEMELOS



Talia V. Román-López

| | | Probandwise Concordance | |
|--------------------|--|-------------------------|--------------|
| | | Mz | Dz |
| Myopia | | 0.74 | 0.50* |
| Astigmatism | | 0.74 | 0.54* |

* $p < 0.05$. Tested by Likelihood ratio test

Heritability# in Mexican Population

| | | |
|--------------------|------------|--|
| Myopia | 62% | |
| Astigmatism | 67% | |

#Estimated by ACE Bivariate Cholesky Modeling



Sarael Alcauter
PhD
INB, UNAM



Talía V. Román-López



Diego Ramírez



Ian Espinosa



Alejandra Ruiz-Contreras
PhD
FP, UNAM



Brisa García Vilchis



Sofía Pradel



Andrea Tapia



LIIGH UNAM



Alejandra Medina-Rivera
PhD
LIIGH, UNAM



Oscar Aldana



Xóchitl Díaz



QIMR Berghofer
Medical Research Institute



Miguel Rentería
PhD
QIMR



CONACYT
Ciencia de Frontera, 2019
No. 6390



MEXICAN NETWORK FOR PARKINSON'S RESEARCH

- Launched in 2021
- Patient enrollment through certified Neurologists
- The shortage of Neurologists with valid certification along with their workload in the public sectors, restricts the massive extension of the registry.
- 192 registries have been recorded.
- Surveys designed to allow for cross data analysis between the Australian Parkinson's Genetics Study and the Latin American Research Consortium on the Genetics of Parkinson's Disease.
- MJFF funding to genotype 2500 patients and 2500 controls
- APDA financing allows for deep phenotyping of cognitive decay and mental health surveys of 500 patients and 500 controls.



Recruitment

- 13 clinical sites in 8 regions + 2 registry sites for controls (RegGenoLab y Laboratorio de Neurogenómica Cognitiva UNAM-CU)
- 8 assistants for interview sessions online or through phone calls

| Region | Start | Neurologist |
|-----------------|---------|----------------------|
| B California | 2021-12 | Damaris Vazquez |
| CDMX | 2022-10 | Karla Salinas |
| CDMX | 2021-12 | Nadia Gандarilla |
| CDMX | 2022-03 | Sara Millán |
| Guanajuato | 2021-11 | Maritza Valadez |
| Jalisco | 2022-01 | Omar Cárdenas |
| Jalisco | 2022-03 | Teresa Pérez |
| Jalisco | 2022-05 | Moisés Rubio |
| Michoacán | 2021-10 | Eugenia Morelos |
| Querétaro | 2021-11 | Lucero Ugalde |
| Querétaro | 2022-03 | Yamil Matuk |
| San Luis Potosí | 2022-05 | Ildelfonso Rodríguez |
| Sinaloa | 2021-10 | Diana Deras |

Recruitment: Public Engagement

- 13 neurologists actively registering patients in RedCap in 8 regions
- Sampling days calendarized throughout the year in selected sites
- Public engagement sessions (FB-live, Miércoles de ConCiencia UAQ, Club Hacienda)
- Open campaign for controls recruitment



¿Quieres ayudarnos a entender las causas genéticas y ambientales de la Enfermedad de Parkinson en nuestra población?
Participa con nosotros, ¡te estamos buscando!

Participa como control

Requisitos

- Ser mayor de 45 años o más
- Ser mexicano (o haber residido la mayor parte de tu vida en México)
- Saber leer y escribir
- Donar una muestra de ADN por hisopado bucal
- No tener familiares consanguíneos de algún paciente con Enfermedad de Parkinson
- No tener antecedentes de alguna enfermedad neurodegenerativa

¿Dónde?

UNAM Campus Juriquilla, Querétaro
UNAM Facultad de Psicología, CDMX

Contacta a través de [RedMEXPD](#)



MEXpd

MEXpd

Clinical and epidemiological characterization of anxiety and depression patterns in Parkinson's patients in Mexico



13 active registry sites
in clinics in 8 states +
2 control registry sites



DNA extraction and processing



Paula Reyes



164 samples sent to Cleveland for
genotyping

98 patients and 66 controls



| Records per instrument | | | | | |
|------------------------|---------|-----|------|--------|----|
| Clinical basic data | SCL-90R | PAS | STAI | ST-DEP | |
| Cases | 142 | 27 | 27 | 25 | 23 |
| Controls | 129 | 17 | 46 | 45 | 38 |
| Total | 271 | 44 | 73 | 70 | 61 |

| Per sex | | | Age at recruitment | | |
|----------|-------------|-------------|--------------------|-----|--------------|
| | Male | Female | Min | Max | Mean (SD) |
| Cases | 86 (56.20%) | 67 (43.79%) | 43 | 88 | 58.11 (9.37) |
| Controls | 36 (27.69%) | 94 (72.30%) | 42 | 91 | 68.38 (9.41) |



Acknowledgements

INB

- Srael Alcauter Solórzano
- Ian Espinosa
- Aranza Piña

Neurogenomics Lab

- Alejandra Ruiz Contreras
- Alejandra Lázaro
- Ulises Caballero
- Talía Román

QMIR Berghofer

- Dr. Miguel Rentería

LARGE-PD

- Dr. Ignacio Mata
- Miguel Inca

LIIGH:

- Jair García
- Luis Aguilar
- Alejandra Castillo



RegGenoLAB:

- Paula Reyes
- Victor Flores
- Ana Hernández
- Karen Nuñez
- Juan Villarreal
- Oscar Aldana
- Diego Buoker
- Xóchitl Díaz
- Sofía Salazar

- Leonardo Arteaga
- Mónica Padilla
- Ingrid Salazar
- María José Fernández
- Alfonso Bravo
- Itzel Ortiz
- Diego Duarte

Mexican neurologists

- Damaris Vazquez
- Karla Salinas
- Nadia Gendarilla
- Sara Millán
- Maritza Valadez
- Omar Cárdenas
- Teresa Pérez
- Moisés Rubio
- Eugenia Morelos
- Lucero Ugalde
- Yamil Matuk
- Ildelfonso Rodríguez
- Diana Deras



Patients, care partners and unaffected controls



Hospital Ángeles Team

- Patricia Ledesma
- Eduardo Gastellum
- Julissa Ugalde
- Gabriela Hernández

GP2 team

- Sara Bandres
- Alastair Noyce
- Sumit Dey

NGOs

- Laura Olmos (Parkinson Laredo).
- Alejandro Galindo y Margarita Vallejo (Asociación Mexicana de Parkinson, A.C.)


Social media

- Erika Rentería
- Mauricio Guzmán



Lupus

- Systemic Lupus Erythematosus (SLE) is a multi-systemic autoimmune disease with a widely heterogeneous set of clinical manifestations
- Previous studies have shown the influence of ethnicity and socioeconomic status on SLE's risk and prognosis.
- Earlier and more severe development of SLE, as well as a higher rate of mortality, has been observed in Latin American, North American Mestizos, African descendants and Native American patients



Martin, 2019; Barber et al 2021

Lupus prevalence in Mexico



- ribbon icon No epidemiological surveillance in place
- ribbon icon Affects mostly women (9:1) and people between the ages of 20 and 40 years old.
- ribbon icon Prevalence 20/100,000.
- ribbon icon Incidence between 1.8 and 7.6 cases/100,000-año.



| Regions | Year of study | cases / 100,000 habs |
|------------------------------|---------------|----------------------|
| Chih, NL, Sin, Yuc y CDMX | 2005 | 70 |
| Nuevo León | 2008-2009 | 40 |
| Yucatán | 2011 | 70 |
| Oaxaca | 2016 | 90 |



- ❖ Launched in May 2021
- ❖ Initial recruitment through social media based on self reported status and self assessment of clinical manifestations
- ❖ Close collaboration with patient communities
- ❖ 5 rheumatologists joined in the last year to recruit patients




726




Progress


May 2021-May 2022

36 (± 10) años
Range 18-79 años
Mostly between
29 and 44 años







Antimalaria drugs 54.9%
Glucocorticoids 46.2%




IMSS 43.4%
Private 30.6%
ISSSTE 10.6%





LUPUS RGMX


Registro Mexicano de Lupus



Número de participantes

| |
|---------|
| 1-10 |
| 11-25 |
| 26-50 |
| 76-100 |
| 151-175 |

Socio economical status




- 8,900-15,600 MXN per month
- 35-54% destined to food.
- Communication, transport, education and health

| | |
|----|----------|
| E | \$5,400 |
| D | \$8,900 |
| D+ | \$12,300 |
| C | \$15,600 |
| C | \$19,900 |


Asociación Mexicana de Agencias de Inteligencia de Mercados y Opinión Pública (AMA1).

Comorbidities and clinical manifestations




Quality of life

Control Group
twins MX
REGISTRO MEXICANO DE GEMELOS



León-Apodaca et al 2019.


Allele specific expression patterns in systemic lupus erythematosus during tolerogenic induction



Why?
Tolerogenic dendritic cells
are an immunotherapy
alternative for
autoimmune disease

Progress:
• Lupus patients: 15
• Controls: 6

Allele specific expression in Systemic Lupus Erythematosus on immune tolerance induction.



Acknowledgements

Research collaborators

Dra. Claudine Liliane Irles Machuca (INPer).
Dra. Florencia Rosetti Sciutto (INCMNSZ).
Dra. Selene Fernández (LANGEBIO).
Dr. Gabriel Frontana Vázquez (HGR1-IMSS).
Dra. Gosia Trynka (Sanger).
Dra. María Gutiérrez-Arcelus (Brigham and Women's Hospital).
Dra. Alejandra Ruiz (Fac. Psicología, UNAM).
Dra. Deshiré Alpizar Rodríguez
Dra. Estefania Torres-Valdez (IMSS)
Dr. Sarael Alcauter (INB)
Dra. Talía Román (INB)

Patient communities

Dra. Donají Domínguez (Fundación Proayuda Lupus Morelos).
Sandy Vera (LupusMX)

REGGENOLAB

Ana Hernandez-Ledesma
Juan Ernesto Villarreal
Ale Zayas
Victor Flores
Paula Reyes
Eli Fajardo
Karen Nuñez Reza
Oscar Aldana
Leo Arteaga
Mónica Padilla

Rheumatologists

Dra. Deshiré Alpizar Rodríguez.
Dra. Estefania Torres-Valdez.
Dr. Guillermo Gamez.
Dra. Angélica Peña.
Dra. Talía Díaz.



CONACYT
Ciencia de Frontera, 2019
No. 11311

Social media

Mauricio Guzmán Araiza
Andrea

Pediatric Lupus




Dra. Talia Díaz Prieto
Pediatric rheumatologist
Hospital San José Tec
Salud




Dra. Claudia Gonzaga-Jauregui
Assistant Professor
LIIGH- UNAM






Mapping immune cell diversity across Latin America






Mapping immune cell diversity across Latin America




Aim 2 Regulatory Networks

Integration of Regulatory Networks




Population specific regulatory interactions



Regulatory effects of genetic variation



Aim 3 PBMC Biobank





Alejandra Medina-Rivera
UNIVERSIDAD NACIONAL AUTÓNOMA DE MÉXICO



Gosia Trynka
WELLCOME SANGER INSTITUTE UNITED KINGDOM



Yesid Cuesta Astroz
COLOMBIAN INSTITUTE OF TROPICAL MEDICINE, CES UNIVERSITY COLOMBIA



Benilton de Sá Carvalho
UNIVERSITY OF CAMPINAS - UNICAMP BRAZIL



Marcela Katherine Sjöberg Herrera
PONTIFICIA UNIVERSIDAD CATÓLICA DE CHILE CHILE



Pablo Alberto Romagnoli
INSTITUTO UNIVERSITARIO DE CIENCIAS BIOMÉDICAS DE CÓRDOBA ARGENTINA



Luis Alberto Tataje Lavanda
ESCUELA PROFESIONAL DE MEDICINA HUMANA, UNIVERSIDAD PRIVADA SAN JUAN BAUTISTA PERU



Maximiliano Berro Castiglioni
HOSPITAL DE CLÍNICAS, UNIVERSITY OF THE REPUBLIC URUGUAY

Summary

- Launching patient registries in Mexico is a challenge but is also rewarding.
- Public engagement is key for the success of these projects.
- These resources can have great impact on research in the country and potentialize functional genomic studies in the Mexican population.
- Infrastructure can be used to help establish other registries.
- Produced data will help increase diversity in genomic samples.
- Challenge: How to access consortia data?
 - Data access for LARGE-PD is centralized in Terra.
 - LATAM institutions do not have established processes to pay for these type of services
 - The advantage of centralized repositories for integrative analysis will go to countries and institutions that can pay for the service (Google cloud).

THANKS!



Progress by survey

| LARGE-PD | | | | | | | | | | MEX-PD | | | | |
|--|--|---|--|---|--|--|---|---|---|--|---|--|---|--|
| LARGE PD minimal set | | | | | Metal health | | | | | Cognitive function | | | | |
| Datos mínimos para envío de muestra | | | | | | | | | | | | | | |
| Parte I | Parte II | Parte III | Genealogía | Consentimiento informado | MoCA | UPDRS | SCL-90R | PAS | IDARE | IDER | Reserva cognitiva | CBS | | |
| Datos de identificación clínica del probando incluyendo edad, sede y criterios de inclusión y exclusión. | Datos del neurólogo que realiza el registro, y no motores, uso de levodopa y agonistas dopaminerigicos., | Datos del antecedentes de residencia, fuentes de agua, consumo de sustancias; traumatismos, antecedentes laborales, exposición a pesticidas y metales pesados, uso de medicamentos. | Datos acerca de exposiciones ambientales del participante: antecedentes de Árbol genealógico simple de 3 generaciones donde se incluyen enfermedades conocidas en la historia familiar | Firma del documento de Consentimiento Informado | Montreal (traducción al español del Montreal Cognitive Assessment), Evalúa los siguientes dominios cognitivos: atención y concentración; funciones ejecutivas, memoria, lenguaje, habilidades visoespaciales, razonamiento conceptual, cálculo y orientación | UPDRS-neuros, Sección del MDS-UPDRS (Official MDS Spanish Translation, 2015), corresponde a Parte I: Aspectos Motores de las Experiencias de la Vida Diaria (M-EVD). | UPDRS-asistentes, Sección del MDS-UPDRS (Official MDS Spanish Translation, 2015), corresponde a Parte II: Aspectos No-Motores de las Experiencias de la Vida Diaria (nM-EVD). | Inventario de Síntomas-Revisado, de Derogatis, evalúa el grado de malestar psicológico actual que experimenta una persona, en 9 dimensiones: Somatización, Obsesiones, Sensitividad Interpersonal, Depresión, Ansiedad, Hostilidad, Ansiedad Fóbica, Ideación Paranoide y Psicoticismo. | Escala de Ansiedad de Parkinson. Escala calificada por un observador o paciente de 12 ítems con tres subescalas, para la ansiedad persistente y episódica, y el comportamiento de evitación.(Parkinson Anxiety Scale, traducida al español) | Inventario de Ansiedad Rasgo-Estado (IDARE), adaptado al español, emplead o para medir dos dimensiones básicas de la ansiedad: como rasgo y como estado, con 20 ítems para cada dimensión. | Inventario de Ansiedad Rasgo-Estado (IDERE o IDER), adaptado al español, emplead o para medir dos dimensiones básicas de la ansiedad: como rasgo y como estado, con 20 ítems para cada dimensión. | Inventario de Depresión Rasgo-Estado (IDERE o IDER), adaptado al español, emplead o para medir dos dimensiones básicas de la ansiedad: como rasgo y como estado, con 20 ítems para cada dimensión. | Cognitive Reserve Index questionnaire (CRIq; versión en español), que estima la reserva cognitiva de un individuo a través de la recopilación de información sobre toda su vida adulta. | Conjunto de 8 tareas neurocognitivas para evaluar los siguientes dominios: Memoria, Razonamiento, Habilidad verbal y Concentración |
| 158 | 142 | 82 | 37 | 79 | 91 | 113 | 23 | 27 | 27 | 25 | 23 | Por iniciar | 3 | |
| Control es | 136 | 129 | 107 | 82 | 47 | 33 | 2 | 2 | 17 | 46 | 45 | 38 | Por iniciar | 0 |
| Totales | 294 | 271 | 189 | 119 | 126 | 124 | 115 | 25 | 44 | 73 | 70 | 61 | 0 | 3 |

THE STAR OF THE SHOW

When you want a more elegant approach, the dynamic presence of PANTONE Very Peri shines as the star of the show in this palette of classics and neutrals whose understated stylishness conveys a message of timeless sophistication.



AMUSEMENTS

Use this color palette when you want to tell a joyous and whimsical story. In this palette, PANTONE Very Peri injects a sense of playful freshness into the design, exuding a good-natured warmth that quickly engages the eye.

