

# Constrained Sampling and Counting

Moshe Y. Vardi

Rice University

# Is This Time Different? The Opportunities and Challenges of Artificial Intelligence

Jason Furman, Chair, Council of Economic Advisers, July 2016:

“Even though we have not made as much progress recently on other areas of AI, such as logical reasoning, the advancements in deep learning techniques may ultimately act as at least a partial substitute for these other areas.”

# Boolean Satisfiability

**Boolean Satisfiability (SAT)**; Given a Boolean expression, using “and” ( $\wedge$ ) “or”, ( $\vee$ ) and “not” ( $\neg$ ), *is there a satisfying solution* (an assignment of 0’s and 1’s to the variables that makes the expression equal 1)?

**Example:**

$$(\neg x_1 \vee x_2 \vee x_3) \wedge (\neg x_2 \vee \neg x_3 \vee x_4) \wedge (x_3 \vee x_1 \vee x_4)$$

**Solution:**  $x_1 = 0, x_2 = 0, x_3 = 1, x_4 = 1$

# Complexity of Boolean Reasoning

## History:

- William Stanley Jevons, 1835-1882: “I have given much attention, therefore, to lessening both the manual and mental labour of the process, and I shall describe several devices which may be adopted for saving trouble and risk of mistake.”
- Ernst Schröder, 1841-1902: “Getting a handle on the consequences of any premises, or at least the fastest method for obtaining these consequences, seems to me to be one of the noblest, if not the ultimate goal of mathematics and logic.”
- Cook, 1971, Levin, 1973: Boolean Satisfiability is NP-complete.

# Algorithmic Boolean Reasoning: Early History

- Newell, Shaw, and Simon, 1955: “Logic Theorist”
- Davis and Putnam, 1958: “Computational Methods in The Propositional calculus”, unpublished report to the NSA
- Davis and Putnam, JACM 1960: “A Computing procedure for quantification theory”
- Davis, Logemman, and Loveland, CACM 1962: “A machine program for theorem proving”

## **DPLL Method:** Propositional Satisfiability Test

- Convert formula to conjunctive normal form (CNF)
- Backtracking search for satisfying truth assignment
- Unit-clause preference

# Modern SAT Solving

**CDCL** = conflict-driven clause learning


- Backjumping
- Smart unit-clause preference
- Conflict-driven clause learning
- Smart choice heuristic (brainiac vs speed demon)
- Restarts

**Key Tools:** GRASP, 1996; Chaff, 2001

**Current capacity:** *millions* of variables

# Some Experience with SAT Solving

Speed-up of 2012 solver over other solvers



## Knuth Gets His Satisfaction

SIAM News, July 26, 2016: “Knuth Gives Satisfaction in SIAM von Neumann Lecture”

Donald Knuth gave the 2016 John von Neumann lecture at the SIAM Annual Meeting. The von Neumann lecture is SIAM’s most prestigious prize.

Knuth based the lecture, titled “Satisfiability and Combinatorics”, on the latest part (Volume 4, Fascicle 6) of his The Art of Computer Programming book series. He showed us the first page of the fascicle, aptly illustrated with the quote “I can’t get no satisfaction,” from the Rolling Stones. In the preface of the fascicle Knuth says “The story of satisfiability is the tale of a triumph of software engineering, blended with rich doses of beautiful mathematics.”

# Applications of SAT Solving in SW Engineering

Leonardo De Moura+Nikolaj Björner, 2012: applications of Z3 at Microsoft

- Symbolic execution
- Model checking
- Static analysis
- Model-based design
- ...

# Verification of HW/SW systems

**HW/SW Industry:** \$0.75T per year!

**Major Industrial Problem:** *Functional Verification* – ensuring that computing systems satisfy their intended functionality

- Verification consumes the majority of the development effort!

## Two Major Approaches:

- *Formal Verification:* Constructing mathematical models of systems under verification and analyzing them mathematically:  $\leq 10\%$  of verification effort

- *Dynamic Verification:* simulating systems under different testing scenarios and checking the results:  $\geq 90\%$  of verification effort

# Dynamic Verification

- Dominant approach!
- Design is simulated with input test vectors.
- Test vectors represent different verification scenarios.
- Results compared to intended results.
- **Challenge:** Exceedingly large test space!

## Motivating Example: HW FP Divider

$z = x/y$ :  $x, y, z$  are 128-bit floating-point numbers

**Question** How do we verify that circuit works correctly?

- Try for all values of  $x$  and  $y$ ?
- $2^{256}$  possibilities
- Sun will go nova before done! *Not scalable!*

# Test Generation

**Classical Approach:** *manual* test generation - capture intuition about problematic input areas

- Verifier can write about 20 test cases per day: *not scalable!*

**Modern Approach:** *random-constrained* test generation

- Verifier writes *constraints* describing problematic inputs areas (based on designer intuition, past bug reports, etc.)
- Uses *constraint solver* to solve constraints, and uses solutions as test inputs – rely on industrial-strength constraint solvers!
- Proposed by Lichtenstein+Malika+Aharon, 1994: de-facto industry standard today!

# Random Solutions

**Major Question:** How do we generate solutions *randomly* and *uniformly*?

- *Randomly:* We should not rely on solver internals to choose input vectors; we do not know where the errors are!
- *Uniformly:* We should not prefer one area of the solution space to another; we do not know where the errors are!

**Uniform Generation of SAT Solutions:** Given a Boolean formula, generate solutions uniformly at random, while scaling to industrial-size problems.

# Constrained Sampling: Applications

## Many Applications:

- *Constrained-Random Test Generation*: discussed above
- *Personalized Learning*: automated problem generation
- *Search-Based Optimization*: generate random points of the candidate space
- *Probabilistic Inference*: Sample after conditioning
- ...

# Constrained Sampling – Prior Approaches, I

## Theory:

- Jerrum+Valiant+Vazirani: *Random generation of combinatorial structures from a uniform distribution*, TCS 1986 – uniform generation by a randomized PTIME algorithm using a  $\Sigma_2^p$  oracle.
- Bellare+Goldreich+Petrank: *Uniform generation of NP-witnesses using an NP-oracle*, 2000 – uniform generation by a randomized PTIME algorithm using an *NP* oracle.

We *implemented* the BPG Algorithm: did not scale above 16 variables!

# Constrained Sampling – Prior Work, II

## Practice:

- *BDD-based*: Yuan, Aziz, Pixley, Albin: *Simplifying Boolean constraint solving for random simulation-vector generation*, 2004 – poor scalability
- *Heuristics approaches*: MCMC-based, randomized solvers, etc. – good scalability, poor uniformity

# Almost Uniform Generation of Solutions

**New Algorithm – UniGen:** Chakraborty, Fremont, Meel, Seshia, V, 2013-15:

- Almost uniform generation by a randomized polynomial time algorithms with a SAT oracle
- Based on *universal hashing*.
- Uses an *SMT solver*.
- Scales to millions of variables.
- Enables parallel generation of solutions after preprocessing.

## Uniformity vs Almost-Uniformity

- Input formula:  $\varphi$ ; Solution space:  $Sol(\varphi)$
- Solution-space size:  $\kappa = |Sol(\varphi)|$
- *Uniform generation*: for every assignment  $y$ :  $Prob[Output = y] = 1/\kappa$
- *Almost-Uniform Generation*: Given tolerance  $\varepsilon$  – for every assignment  $y$ :  
$$\frac{(1/\kappa)}{(1+\varepsilon)} \leq Prob[Output = y] \leq (1/\kappa) \times (1 + \varepsilon)$$

## The Basic Idea

1. Partition  $Sol(\varphi)$  into “roughly” equal small cells of appropriate size.
2. Choose a random cell.
3. Choose at random a solution in that cell.

You got random solution almost uniformly!

**Question:** How can we partition  $Sol(\varphi)$  into “roughly” equal small cells without knowing the distribution of solutions?

**Answer:** *Universal Hashing* [Carter-Wegman 1979, Sipser 1983]

# Universal Hashing

**Hash function:** maps  $\{0, 1\}^n$  to  $\{0, 1\}^m$

- Random inputs: All cells are roughly equal (in expectation)

**Universal family of hash functions:** Choose hash function *randomly* from family

- For *arbitrary* distribution on inputs: All cells are roughly equal (in expectation)

# Strong Universality

**Universal Family:** Each input is hashed *uniformly*, but different inputs might not be hashed *independently*.

$H(n, m, r)$ : Family of *r-universal* hash functions mapping  $\{0, 1\}^n$  to  $\{0, 1\}^m$  such that every  $r$  elements are mapped *independently*.

- *Higher r*: Stronger guarantee on *range of sizes* of cells
- *r-wise universality*: Polynomials of degree  $r - 1$

# Strong Universality

**Key:** Higher universality  $\Rightarrow$  higher complexity!

- **BGP:**  $n$ -universality  $\Rightarrow$  all cells are small  $\Rightarrow$  uniform generation
- **UniGen:** 3-universality  $\Rightarrow$  a random cell is small w.h.p  $\Rightarrow$  almost-uniform generation

From tens of variables to millions of variables!

- UniGen runs in time polynomial in  $|\varphi|$  and  $\varepsilon^{-1}$  relative to SAT oracle.

# XOR-Based 3-Universal Hashing

- Partition  $\{0, 1\}^n$  into  $2^m$  cells.
- *Variables:*  $X_1, X_2, \dots, X_n$
- Pick every variable with probability  $1/2$ , XOR them, and equate to 0/1 with probability  $1/2$ .
  - E.g.:  $X_1 + X_7 + \dots + X_{117} = 0$  (splits solution space in half)
- $m$  XOR equations  $\Rightarrow 2^m$  cells
- *Cell constraint:* a conjunction of CNF and XOR clauses

# SMT: Satisfiability Modulo Theory


**SMT Solving:** Solve Boolean combinations of constraints in an underlying theory, e.g., linear constraints, combining SAT techniques and domain-specific techniques.

- Tremendous progress since 2000!

**CryptoMiniSAT:** M. Soos, 2009


- Specialized for combinations of CNF and XORs
- Combine SAT solving with Gaussian elimination

# UniGen Performance: Uniformity



Uniformity Comparison: UniGen vs Uniform Sampler

# UniGen Performance: Runtime



Runtime Comparison: UniGen vs XORSample'

# From Sampling to Counting

- Input formula:  $\varphi$ ; Solution space:  $Sol(\varphi)$
- **#SAT Problem:** Compute  $|Sol(\varphi)|$ 
  - $\varphi = (p \vee q)$
  - $Sol(\varphi) = \{(0, 1), (1, 0), (1, 1)\}$
  - $|Sol(\varphi)| = 3$

**Fact:** #SAT is complete for #P – the class of counting problems for decision problems in NP [Valiant, 1979].

# Constrained Counting

**A wide range of applications!**

- Coverage in random-constrained verification
- Bayesian inference
- Planning with uncertainty
- ...

**But:**  $\#SAT$  is really a hard problem! In practice, quite harder than  $SAT$ .

# Approximate Counting

## Probably Approximately Correct (PAC):

- *Formula:*  $\varphi$ , *Tolerance:*  $\varepsilon$ , *Confidence:*  $0 < \delta < 1$
- $|Sol(\varphi)| = \kappa$
- $Prob\left[\frac{\kappa}{(1+\varepsilon)} \leq \text{Count} \leq \kappa \times (1 + \varepsilon) \geq \delta\right]$
- Introduced in [Stockmeyer, 1983]
- [Jerrum+Sinclair+Valiant, 1989]:  $BPP^{NP}$
- No implementation so far.


# From Sampling to Counting

**ApproxMC:** [Chakraborty+Meel+V., 2013]

- Use  $m$  random XOR clauses to select at random an appropriately small cell.
- Count number of solutions in cell and multiply by  $2^m$  to obtain estimate of  $|Sol(\varphi)|$ .
- Iterate until desired confidence is achieved.


ApproxMC runs in time polynomial in  $|\varphi|$ ,  $\varepsilon^{-1}$ , and  $\log(1 - \delta)^{-1}$ , relative to SAT oracle.

# ApproxMC Performance: Accuracy



Accuracy: ApproxMC vs Cachet (exact counter)

# ApproxMC Performance: Runtime



Runtime Comparison: ApproxMC vs Cachet'

## Short XOR Clauses?

**Question:** “You use long ( $O(N/2)$  in expectation) XOR clauses. I heard a talk/read a paper that says that one get use shorter XOR clauses and get a performance boost!”

**Answer:** Watch for gaps!

- between combinatorial lemmas to provable properties of algorithms,
- between published algorithms and implemented tools.

*We prove the correctness of our algorithms and implement them faithfully!*

# SAT Solving

- The improvement in the performance of SAT solvers over the past 20 years is *revolutionary!*
  - Better marketing: **Deep Solving**
- SAT solving is an enabler, e.g., approximate sampling and counting
- When you have a big hammer, look for nails!!!
- Scalability is an ongoing challenge!

## Reflection on P vs. NP

**Old Cliché** “What is the difference between theory and practice? In theory, they are not that different, but in practice, they are quite different.”

**P vs. NP in practice:**

- $P=NP$ : Conceivably, NP-complete problems can be solved in polynomial time, but the polynomial is  $n^{1,000}$  – *impractical!*
- $P \neq NP$ : Conceivably, NP-complete problems can be solved by  $n^{\log \log \log n}$  operations – *practical!*

**Conclusion:** No guarantee that solving P vs. NP would yield practical benefits.

## Are NP-Complete Problems Really Hard?

- When I was a graduate student, SAT was a “scary” problem, not to be touched with a 10-foot pole.
- Indeed, there are SAT instances with a few hundred variables that cannot be solved by any extant SAT solver.
- But today’s SAT solvers, which enjoy wide industrial usage, routinely solve real-life SAT instances with millions of variables!

**Conclusion** We need a richer and broader complexity theory, a theory that would explain both the difficulty and the easiness of problems like SAT.

**Question:** Now that SAT is “easy” in practice, how can we leverage that?

- We showed how to leverage for sampling and counting. What else?
- Is  $BPP^{NP}$  the “new”  $P$ TIME?